

International Research Journal of Mathematics, Engineering and IT

ISSN: (2348-9766)

Association of Academic Researchers and Faculties (AARF) Impact Factor- 5.489 Volume 7, Issue 2, February 2020

Website- www.aarf.asia, Email: editor@aarf.asia, editoraarf@gmail.com

AUTOMATION OF OPTIMAL PRODUCTION SCHEDULES FOR A CERTAIN CLASS OF DETERMINISTIC INVENTORY PROBLEMS USING DYNAMIC PROGRAMMING 1 Ukwu, Chukwunenye& Tanko, Ishaya

¹Department of Mathematics, University of Jos, P.M.B 2084, Jos, Plateau State, Nigeria. ²Department of Computer Science, University of Jos, P.M.B 2084, Jos, Plateau State, Nigeria.

ABSTRACT

This research article conceptualized, formulated and designed Excel solution templates and corresponding exposition for optimal production schedules for a certain class of deterministic inventory problems. The article also provided illustrative examples which demonstrated the efficiency, utility and processing power of the solution templates. The deployment of the solution templates circumvents the inherent tedious, and prohibitive manual computations associated with dynamic programming formulations and recursions and may be optimally appropriated for sensitivity analyses on each model.

Keywords: Automation, Deterministic, Dynamic programming recursions, Excel, Inventory, Optimal production schedules, Solution Templates.

1. INTRODUCTION

The need for automation of processesis imperative; this is especially so of optimal policy prescriptions of dynamic programming-based outputs with resulting tremendous savings in time, cost and energy. Consequently, any desired levels of sensitivity analyses can be easily undertaken and accomplished with great rapidity; needless to say that long horizon lengths can be assigned henceforth in such problems that hitherto could hardly be contemplated due to the 'curse of dimensionality' of dynamic programming recursions.

Ukwu [1,2] designed and implemented Excel solution templates for optimal investment strategies and the corresponding optimal rewards, for the largest class of certain probabilistic dynamic investment

problems for practical and realistic consideration, using backward recursive dynamic programming. It went further to optimally deploy the templates for sensitivity analysis of the problem, in just a matter of minutes. These activities could hardly be contemplated in manual computations. The templates reflected and demonstrated consistency with the base results. In the sequel, Ukwu [3] designed and fully automated the solution templates for the determination of the optimal time replacement policies for a time perspective class of machine replacement problems with pertinent dynamic data given as functions of new machine purchase year and machine age. Ukwu [4,5] went on to design and automate prototypical solution templates for batch optimal policy prescriptions for a certain stationary class of equipment replacement problems, with any set of feasible starting ages, complete with an algorithmic exposition on the interface and solution process.

Ukwu et al. [6] investigated the problem of fund allocations from certain investment portfolio and obtained the optimal investment strategies using backward dynamic programming recursive approach. In what followed, Ukwu et al. [7] conceptualized, formulated and designed Excel solution templates and corresponding algorithm for the optimal allocation of funds from the investment portfolio. The work also provided illustrative examples which demonstrated the efficiency, utility and processing power of the solutions templates. A careful study of above works among others reveals that they can be leveraged and exploited for optimal production strategies of a certain class of inventory problems.

The optimal production schedule for a certain class of deterministic inventory problems using backward dynamic programming recursions has been investigated by Taha [8] and Winston [9], among other authors. Unfortunately the related issue of computational feasibility is yet to be addressed. Iterations in dynamic programming recursions are computationally intractable and doomed to failure for practical purposes, especially for large scale applications; thus, the need for electronic implementation of optimal production schedules cannot be overemphasized.

This paper fills the above need by formulating and designing prototypical Excel automated solution templates based on dynamic programming recursions with a view to minimizing production costs in inventory problems. These templates are deployed to eliminate the computational tedium and other constraints, as well as pave the way for instant generation of optimal strategies, as soon as the

pertinent data are keyed in. The optimality results will be facilitated by a robust investigation of the solution templates in the afore-mentioned works of Ukwu and others, and by sound reasoning regarding the implicit dependence of the dynamic programming recursions on stage numbers. Finally, this study will deploy the templates to obtain optimal production schedules for problem instances with specified entering inventories.

2. THEORETICAL UNDERPINNING

The production scheduling problem is the determination of what quantity to produce during each period to minimize the over-all production cost, given the following parameters:

- (i) Problem horizon length
- (ii) Entering (Incoming) inventory during each period
- (iii) Demand specifications for the various periods
- (iv) Set up costs associated with positive production quantities
- (v) Holding (Storage) cost per period per unit inventory
- (vi) Capacity constraints on production/demand
- (vii) Production function specification

The model for the paper is backward dynamic programming recursions for the determination of optimal production levels with respect to a stated class of deterministic inventory problems.

2.1 Notations for the model parameters:

T: Horizon length of the problem; t: Stage identifier; $t \in \{T, T-1, \dots 2, 1\}$

 i_t : Entering inventory during period t; d_t : Demand during period t

 I_t : The set of feasible entering inventory in stage $t, t \in \{T, T-1, \cdots, 2, 1\}$.

h: Holding cost per unit inventory per period

 $x_{t}(i_{t})$: Production quantity during period t, given that the entering inventory is i_{t}

 $c(x) = k_0 + k_1 x + k_2 x^2 + k_3 x^3 + k_4 x^4$: Production function

© Association of Academic Researchers and Faculties (AARF)

 $f_t(i_t)$: Minimum production cost for period $t, t+1, \dots,$ and T given that the entering inventory during period t is i_t .

The relevant dynamic programming recursions are the following:

$$f_t\left(i_t\right) = \min_{t \in I_t} \left\{ c\left(x_t(i_t) + f_{t+1}\left(i_{t+1}\right)\right), t \in \left\{T, T-1, \cdots, 2, 1\right\}; f_{T+1}\left(.\right) = 0 \Longrightarrow f_T\left(x_T(i_T)\right) = c\left(x_T(i_T)\right) \right\}$$

 $i_{t+1} = i_t + x_t(i_t) - d_t \ge 0 \Rightarrow$ demand must be satisfied; $x_t(i_t) \ge 0 \Rightarrow$ production must be at nonnegative levels

$$i_{t}, x_{t}(i_{t}) \in \mathbf{N}, d_{t} \in \mathbf{N}, \sum_{t=1}^{T} d_{t} \in \mathbf{N}, h \in \mathbf{R}^{+}, T \in \mathbf{N}, f_{t}(i_{t}) \in \mathbf{R}^{+}; f_{t}(i_{t}) = 0 \iff \text{there is no production activity.}$$

 $\sum_{t=1}^{T} d_t \in \mathbb{N}$ \Rightarrow there must be at least one positive demand during the horizon, otherwise there is nothing to solve.

$$c\left(x_{t}\left(\dot{l}_{t}\right)\right) = \left(k_{0} + \sum_{j=1}^{4} k_{j} x_{t}^{j}\left(\dot{l}_{t}\right)\right)$$

The development of appropriate solution templatesisdetailed below and it is based on the above backward dynamic programming model.

3. METHODS, RESULTS AND DISCUSSION

3.1 Excel Implementation Template Design and interface For Optimal Production Schedules

Tern	ninal Stage, T						
	A	В	С	D	Е	F	G
1	Excel Solution						
2	Recursions						
3							
4	No. of periods:	T	Max Dem =	5			
5	$c(x) = k_0 \operatorname{sgn}(x) + k_1 x + k_2 x^2 + k_3 x^3 + k_4 x^4$						
6							
7		k_0	k_1	k_2	k_3	k_4	
8	Values of k _i :						
9	Demand:	d_T					
10		Stage	=[1]				

© Association of Academic Researchers and Faculties (AARF)

11	I			x(i))	f(i) = c(x)					
12	0			= [3]		= [5v]					
13	= [2v]			=[4v]							
17											
19	Penultima	te Stage,	<i>T</i> –1								
20	Demand:	d _{T-1}									
21		Stage	= [6]		Co	omputations					
22	I	x(i)	h (i+x-d)+c(x)	f	(i+x-d)	C+D	х	*	f(i)	
23	0	=[8]	=[10v]		=[11v]	= [12v] =	[13v]	= [1	4v]
24	= [7v]	= [9v]									
31											
33	1	= [8]	=[10v]		=[11v]	= [12v] =	[13v]	= [1	4v]
34	= [7v]	= [9v]									
42											
	l	<u>I</u>	<u>I</u>		1		1	L		<u> </u>	

4	2	= [8]	= [10]	= [11]	= [12]	= [13]	=[14]
4							
4	= [7v]	=					
5		[9v]					
• • •							
5							
3							

© Association of Academic Researchers and Faculties (AARF)
A Monthly Double-Blind Peer Reviewed Refereed Open Access International e-Journal - Included in the International Serial Directories.

5	3	= [8]	=[10v]	=[11v]	=	=[13v]	=
5					[12v]		[14v]
5	= [7v]	=					
6		[9v]					
6							
4							
6	4	= [8]	=[10v]	=[11v]	=	=[13v]	=
6					[12v]		[14v]
6	= [7v]	=					
7		[9v]					
7							
5							
7	5	= [8]	=[10v]	=[11v]	=	=[13v]	=
7					[12v]		[14v]
7	= [7v]	=					
8		[9v]					
8							
9							

Stage	(T-2)						
91	Demand	d_{T-2}					
92		Stage	= [15]	Computations			
93	i	x(i)	h(i+x-d)+c(x)	f(i+x-d)	C+D	<i>x</i> *	f(i)
94	0	= [17]	=[19v]	=[20v]	= [21v]	=[22v]	= [23v]
95	= [16v]	= [18v]					
•••							
100							

The tabular process continues down to stage 1. Any stage number less than one indicates infeasibility. Blank cells also indicate forbidden choices.

3.2 Exposition on the Solution Template

"= [m] "indicates code segment m to be typed in the resident cell location.

"= [mv] "with letter v fixed indicates code segment m to be typed in the resident cell location followed by vertical crosshair-dragging activity.

Multiple "= [m] " or = [mv] " indicates copying activity of the code segment from the initial cell locations.

Type the titles of the template in excel rows 1 and 2 as indicated above. Type the production cost function c(x) and its parameters in the indicated cell locations. An identifier succeeded by a colon indicates desired user input subject to the imposed restrictions.

3.3 Initialization of Stage numbering:

= [1]: Type the following code segment =\$B\$5, in cell location C10, <Enter> to initialize the stage number at integral input value m.

3.3.1 Stage *T*Implementations

Incoming inventory, i:

Step 1: Input the number 0 in cell location A12.

© Association of Academic Researchers and Faculties (AARF)

Step 2: = [2v]: Type the following code segment =IF(\$A12<\$B\$9,1+\$A12,""), in cell location A13,<Enter> to secure the next feasible higher contiguous integer. Click the cursor back on A13, position the cursor at the bottom right edge of the cell until a crosshair appears. Then drag the crosshair vertically down to cell location A17, to secure all feasible values of i.

Henceforth the act of clicking the cursor back on an indicated cell location, positioning the cursor at the bottom right edge of the cell until a crosshair appears and then dragging the crosshair vertically down to an indicated cell location will be described as clerical routine/duty.

Production Quantity, $x_T(i)$:

Step 1:=[3]: "=\$B\$9-\$A12", in B12,<Enter>

Step 2.=[4v]: "=IF(\$A13 ="","",\$B\$9-\$A13)", in B12, followed by the clerical duty, down to B17.

Minimum Costs, $f_T(i)$, f(i), for Entering Inventory

 $= [5v]: \text{``=(\$B\$8+\$C\$8*\$B12+\$D\$8*\$B12^2+\$E\$8*\$B12^3+\$F\$8*\$B12^4)*SIGN(\$B12)"},$

inC12, followed by the clerical duty, down to C17.

3.3.2 Stage (T-1) Computations.

Incoming inventory, i = 0:

Step 1: Input the number 0 in cell location A22.

Step 2: = [7v]: Type the following code segment "=IF(COUNT(A\$22:A22)<\$B\$9+\$B\$19,0,"")", in cell location A23, followed by the clerical duty down to A31.

Production Quantity, $x_{T-1}(i)$:

Step 1: =[8]: "=MAX(\$B\$19-\$A22,0)<Enter>

Step 2. =[9v]: "=IF(OR(\$A23="",\$B22>=\$B\$9+\$B\$19),"",1+\$B22)", in B23, followed by the clerical duty, down to B31.

© Association of Academic Researchers and Faculties (AARF)

Implementation of C+D

=[12v]: "=IF(OR(\$C22="",\$D22=""),"",\$C22+\$D22)",in E22, followed by the clerical duty, down to E31.

Implementation of x*

=[13v]: " = IF(\$E22=MIN(\$E\$22:\$E\$31),\$B22,"")", in F22, followed by the clerical duty, down to F31.

Minimum Costs, $f_{T-1}(i)$, for Entering Inventory

= [14v]: "=IF(\$F22="","",\$E22)", inG22, followed by the clerical duty, down to G31.

Incoming inventory, i = 1:

Step 1: Input the number 1 in cell location A33

Step 2: = [7v]: Type the following code segment "=IF(COUNT(A\$33:A33)<\$B\$9+\$B\$19,0,"")", in cell location A34, followed by the clerical duty down to A42.

Production Quantity, $x_{T-1}(i)$:

Step 1: =[8]: "=MAX(\$B\$19-\$A33,0)<Enter>

Step 2: = [9v]: "=IF(OR(\$A34="",\$B33>=\$B\$9+\$B\$19),"",1+\$B33)", in B34, followed by the clerical duty, down to B42.

Implementation of h(i+x-d)+c(x)

=[10v]: "=IF(OR(\$A33 = "", \$B33 = ""), "",0.5*(\$A33+\$B33-\$B\$19)+(\$B\$8+\$C\$8*\$B33+\$D\$8*\$B33^2+\$E\$8*\$B33^3+\$F\$8*\$B33^4)*SIGN(\$B33)), in C33, followed by the clerical duty, down to C42.

Implementation of f(i+x-d)

=[11v]: "=IF(OR(\$A33 = "", \$B33 = ""), "",IF(\$A33+MAX(\$B33,0) - MAX(\$B\$19,0)=0,MAX(\$C\$12,0),IF(\$A33+MAX(\$B33,0) -

© Association of Academic Researchers and Faculties (AARF)

MAX(\$B\$19,0)=1,MAX(\$C\$13,0),IF(\$A33+MAX(\$B33,0) -

MAX(\$B\$19,0)=2,MAX(\$C\$14,0),IF(\$A33+MAX(\$B33,0) -

MAX(\$B\$19,0)=3,MAX(\$C\$15,0),IF(\$A33+MAX(\$B33,0) -

MAX(\$B\$19,0)=4,MAX(\$C\$16,0),IF(\$A33+MAX(\$B33,0)=

MAX(\$B\$19,0)=5,MAX(\$C\$17,0),"")))))", in D33, followed by the clerical duty, down to D42.

Implementation of C+D

=[12v]: "=IF(OR(\$C33="",\$D33=""),"",\$C33+\$D33)",in E33, followed by the clerical duty, down to E42.

Implementation of x^*

=[13v]: "=IF(\$E33=MIN(\$E\$33:\$E\$42),\$B33,"")", in F33, followed by the clerical duty, down to F42.

Minimum Costs, $f_{T-1}(i)$, for Entering Inventory

= [14v]: "=IF(\$F33="","",\$E33)", in G33, followed by the clerical duty, down to G42.

Incoming inventory $i \in \{2,3,4,5\}$

Step 1: Input the number i in cell location A(33+(i-1)*11)

Step 2: Replace the "33" in the code segment " = [7v] :" with(33+11(i-1)) 1n cell location A(1+(33+11(i-1))),followed by the clerical duty down to A(9+(1+(33+11(i-1)))).

Production Quantity, $x_{T-1}(i)$: $i \in \{2, 3, 4, 5\}$

Add 11(i-1) to all relative row references in steps 1 and 2 corresponding to i=1,incorporating "=[8]:" and "=[9v]:".

Implementation of h(i+x-d)+c(x): $i \in \{2,3,4,5\}$

Add 11(i-1) to all relative row references in "=[10v]:" and the ensuing clerical duty.

Implementation of f(i+x-d): $i \in \{2,3,4,5\}$

Add 11(i-1) to all relative row references in "=[11v]:" and the ensuing clerical duty.

Implementation of *C*+*D*: $i \in \{2,3,4,5\}$

© Association of Academic Researchers and Faculties (AARF)

Add 11(i-1) to all relative row references in "=[12v]:" and the ensuing clerical duty.

Implementation of x^* **:** $i \in \{2,3,4,5\}$

Add 11(i-1) to all relative row references in "=[13v]:" and the ensuing clerical duty.

Minimum Costs,
$$f_{T-1}(i)$$
: $i \in \{2,3,4,5\}$

Add 11(i-1) to all relative row references in "=[14v]:" and the ensuing clerical duty.

Stage (T-2).

Implementations of i, xi, h(i+x-d)+c(x):

Add 69 to all row references of cells in stage T-1, for corresponding *i*values, excluding the \$B\$8:\$F\$8, with global scope.

Implementations of f(i+x-d):

Replace the code segment in D22 (for i = 0, in stage T-1) with the code segment below:

Then apply the clerical duty from the input cell \$D91down to \$D100.

For $i \in \{1, 2, 3, 4, 5\}$, add 11i to all relative row references corresponding to i = 0.

Implementations $C+D_{\bullet}x^*$ and f(i):

The code segments for $C+D_x^*$ and f(i) are invariant and hence may be copy from stage T-1 down to stage 1.

Stage
$$t, t \in \{T-3, \dots, 1\}.$$

© Association of Academic Researchers and Faculties (AARF)

Implementations of i, x(i),h(i+x-d)+c(x):

Add 69 (T-2-t) to all row references of cells in stage (T-2), for corresponding i values, excluding the \$B\$8:\$F\$8, with global scope, bringing the exposition to an end.

By an appeal to Ukwu[3]the optimal production strategies can be obtained in respect of sub-horizon lengths $n \in \{1, 2, \dots, T-1\}$ from the same solution template using a top-down horizon length count in which stage (T+t-n) in the T-horizon problem corresponds to stage $t; t \in \{1, 2, \dots, n\}$ in the n-horizon problem.

3.4 EXPOSITION

3.4.1 General Application problem

A company knows that the demand for its product during each of the next T months will be as follows: montht, d_t units; $t \in \{1, 2, \dots, T\}$. At the beginning of each month the company must determine how many units should be produced during the current month. During a month in which any units are produced, a setup cost of k_0 is incurred. In addition, there is a variable quartic cost function:

$$c(x) = k_1x + k_2x^2 + k_3x^3 + k_4x^4$$
, for every x units produced.

At the end of each month a holding cost of h per unit on-hand is incurred. Historical data reveal that demand for any period does not exceed h units during each month. The company wants to determine a production schedule that will meet all demands on time and will minimize the sum of production and holding costs during the h months.

Solve the above problem with the following pertinent data: D = 5, T = 6

Figure 1: Excel solution template outputs of optimal production schedule for a class of inventory problems using dynamic programming recursions

		Max Horizon					
		Length:	6				
No of periods :	6	Max Demand:	5	h :	0.75		
No of periods: $(x) = k_0 \operatorname{sgn}(x) + \sum_{j=1}^{4} k_j x^j$							
	k ₀	k ₁	k ₂	k ₃	k ₄		
Values of k_j $j = 0, 1,, 4$	4	1	0.0015	0.00012	0.00002		
Demand :	4						
	Stage	6					
i	x (i)	f(i) = c(x)					i_{t+1}
0	4	8.0368					0
1	3	7.01836					0
2	2	6.00728					0
3	1	5.00164					0
4	0	0					0
Demand	2						
	Stage	5	Comp.				
i	x(i)	h (i+x-d)+c(x)	f (i+x-d)	C+D	x*	f (i)	i_{t+}
0	2	6.00728	8.0368	14.04408			
0	3	7.76836	7.01836	14.78672			
0	4	9.5368	6.00728	15.54408			
0	5	11.315	5.00164	16.31664			
0	6	13.10584	0	13.10584	6	13.1058	4
0							
1	1	5.00164	8.0368	13.03844			
1	2	6.75728	7.01836	13.77564			
1	3	8.51836	6.00728	14.52564			
1	4	10.2868	5.00164	15.28844			
1	5	12.065	0	12.065	5	12.065	4
1	6	13.85584	0	13.85584			

7.01836 5.00728 1.00164 0 1 0 7.01836 7.01836 7.00728 1.00164 0 1 0 1 0 1 0 9	8.0368 12.77 13.5146 14.27 11.0368 12.815 7.76836 12.5089 13.2589 10.0184 11.7868 7.50728 12.2533 9.00728	0	7.76836	1 2
7.01836 7 6.00728 1 0 1 0 7 7.01836 7 6.00728 1 0 1 0 1 0 9	13.5146 14.27 11.0368 12.815 7.76836 12.5089 13.2589 10.0184 11.7868 7.50728 12.2533			
7.01836 7 6.00728 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0	14.27 11.0368 12.815 7.76836 12.5089 13.2589 10.0184 11.7868 7.50728 12.2533			
7.01836 7 6.00728 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0	14.27 11.0368 12.815 7.76836 12.5089 13.2589 10.0184 11.7868 7.50728 12.2533			
0 1 0	7.76836 12.5089 13.2589 10.0184 11.7868 7.50728 12.2533			
0 7.01836 7 6.00728 1 6.00164 1 0 1 6.00728 7 6.00164 1 0 9	7.76836 12.5089 13.2589 10.0184 11.7868 7.50728 12.2533			
7.01836 7 5.00728 1 6.00164 1 0 1 0 1 5.00728 7 6.00728 7	7.76836 12.5089 13.2589 10.0184 11.7868 7.50728 12.2533			
5.00728 1 5.00164 1 0 1 0 1 6.00728 7 5.00728 7 6.00164 1 0 9	12.5089 13.2589 10.0184 11.7868 7.50728 12.2533			
5.00728 1 5.00164 1 0 1 0 1 6.00728 7 5.00728 7 6.00164 1 0 9	12.5089 13.2589 10.0184 11.7868 7.50728 12.2533			
5.00728 1 5.00164 1 0 1 0 1 6.00728 7 5.00728 7 6.00164 1 0 9	12.5089 13.2589 10.0184 11.7868 7.50728 12.2533			
5.00728 1 5.00164 1 0 1 0 1 6.00728 7 5.00728 7 6.00164 1 0 9	12.5089 13.2589 10.0184 11.7868 7.50728 12.2533			
5.00728 1 5.00164 1 0 1 0 1 6.00728 7 5.00728 7 6.00164 1 0 9	12.5089 13.2589 10.0184 11.7868 7.50728 12.2533			
5.00728 1 5.00164 1 0 1 0 1 6.00728 7 5.00728 7 6.00164 1 0 9	12.5089 13.2589 10.0184 11.7868 7.50728 12.2533			
5.00164 1 0 1 0 1 0 1 5.00728 7 5.00164 1 0 9	13.2589 10.0184 11.7868 7.50728 12.2533	0	7.50728	2
0 1 0 1 5.00728 7 5.00164 1 0 9	7.50728 12.2533	0	7.50728	2
0 1 5.00728 7 5.00164 1 0 9	7.50728 12.2533	0	7.50728	2
5.00728 7 5.00164 1 0 9	7.50728 12.2533	0	7.50728	2
0 9	12.2533	0	7.50728	2
0 9	12.2533	0	7.50728	2
0 9	12.2533	0	7.50728	2
0 9	12.2533	0	7.50728	2
0 9	12.2533	0	7.50728	2
0 9	12.2533	0	7.50728	2
0 9	12.2533	0	7.50728	
0 9				
	9.00728			
	40 7004			
0 1	10.7684			
	7.25164	0	7.25164	3
0 9	9.75728			
	.r)		arial Director	es.
es (AARI	led in the Int	ernational S		
	0 0	0 8.00164 0 9.75728 ies (AARF)	0 8.00164 0 9.75728 ies (AARF)	0 8.00164 0 9.75728

	9						
Demand	3 Stage	4	C				
	Stage	4	Comp.	0.5	*	£ /: \	
i	x (i)	h (i+x-d)+c(x)	f (i+x-d)	C+D	Х	f (i)	
0	3	7.01836	13.10584	20.1242			
0	4	8.7868	12.065	20.8518			
0	5	10.565	8.0368	18.6018	5	18.6018	2
0							
0							
1	2	6.00728	13.10584	19.1131			
1	3	7.76836	12.065	19.8334			
1	4	9.5368	8.0368	17.5736	4	17.5736	2
1	 5	11.315	7.76836	19.0834		12733	
1		11.010	7.7.000	123.000			
-							
2	1	5.00164	13.10584	18.1075			
2	2	6.75728	12.065	18.8223			
2	3	8.51836	8.0368	16.5552	3	16.5552	2
2	4	10.2868	7.76836	18.0552			
2	5	12.065	7.50728	19.5723			
3	0	0	13.10584	13.1058	0	13.1058	0
3	1	5.75164	12.065	17.8166		13.1330	
3	2	7.50728	8.0368	15.5441		+	
						+	
3 Association of Academic	Researce	9.26836 chers and Fact	7.76836	17.0367 RF) _{5.441}		+	
Association of Academic Association Ass	efereed Oper	Access International	e Journal Incl	RF) 18.5441 uded in the Inje	rnational	Serial Directori	es.
		<u> </u>		 		+	
				+ +		-	I
		I	Ī	1			

Domand	2						
Demand	3	4	0	+ +			
	Stage	4	Comp.	+ - +	x *	£ /: \	
i	x (i)	h (i+x-d)+c(x)	f (i+x-d)	C+D	Х	f (i)	
0	3	7.01836	13.10584	20.1242			
0	4	8.7868	12.065	20.8518			
0	5	10.565	8.0368	18.6018	5	18.6018	2
0							
0							
1	2	6.00728	13.10584	19.1131			
1	3	7.76836	12.065	19.8334			
1	4	9.5368	8.0368	17.5736	4	17.5736	2
1	5	11.315	7.76836	19.0834		12733	
1		11.313	7.70030	13.0031			
-							
2	1	5.00164	13.10584	18.1075			
2	2	6.75728	12.065	18.8223			
2	3	8.51836	8.0368	16.5552	3	16.5552	2
2	4	10.2868	7.76836	18.0552			
2	5	12.065	7.50728	19.5723			
3	0	0	13.10584	13.1058	0	13.1058	0
3	1	5.75164	12.065	17.8166			
3	2	7.50728	8.0368	15.5441			
3	3	9 26836	7 76836	17.0367			
Association of Academic Contains Double Blind Peer Reviewed R	Researc	hers and Fac	iltjes (AA)	RF) 18.5441			
Ionthly Double Blind Peer Reviewed R	efereed Oper	Access International	e Journal Incl	uded in the Inte	rnational	Serial Director	es.
		1		+ +		+	т
				+		-	F
		<u> </u>		+ +		+ -	
			I	1			

0 1 2 3 4	0.75 6.50164 8.25728 10.01836 11.7868	12.065 8.0368 7.76836 7.50728 7.25164	12.815 14.5384 16.0256 17.5256 19.0384	0	12.815	1	
1 2 3 4	6.50164 8.25728 10.01836	8.0368 7.76836 7.50728	14.5384 16.0256 17.5256				
2 3 4	8.25728 10.01836	7.76836 7.50728	16.0256 17.5256				
3 4	10.01836	7.50728	17.5256				
0	 		+				
0							
							1
							ı
					1		1
					1		
	<u> </u>				1		1
	1.5	8.0368	9.5368	0	9.5368	2	1
1	7.25164	7.76836	15.02		1		1
2	9.00728	7.50728	16.5146		1		1
3	10.76836	7.25164	18.02		1		1
†		7.23101	10.02				
<u> </u>	12.5300						
							ł
							ł
							ł
							ł
1							ł
	3	Comp					ł
ì	<u>†</u>		C+D	* *	f (i)		
	<u> </u>	<u> </u>			- (.,		ł
							ł
							ł
			 		23 3926	3	ł
+ -	10.2808	13.10364	23.3320		23.3320		
					+ -		
							ł
							ł
							ł
0		10 6010	10 6010		10 6010		ł
	•	<u> </u>		U	10.0018	U	ł
	<u> </u>	1	t		+		ł
<u> </u>		<u> </u>	 		+		\vdash
Researce	9.26836 hers and Fac i	13.10584 ulties (AA	22.3/42 RF)		+		ł
efereed Oper	Access International	e Journal Inch	ded in the In	ernational S	Serial Director	es.	ł
		-			1		ł
					1	P	age
							ł
	1 Stage x(i) 1 2 3 4 0 1 2 Researce	1 Stage 3 x(i) h(i+x-d)+c(x) 1 5.00164 2 6.75728 3 8.51836 4 10.2868 0 1 5.75164 2 7.50728 3 9.26836 2 Researchers and Fac	1 Stage 3 Comp. x(i) h(i+x-d)+c(x) f (i+x-d) 1 5.00164 18.6018 2 6.75728 17.5736 3 8.51836 16.55516 4 10.2868 13.10584 0 0 18.6018 1 5.75164 17.5736 2 7.50728 16.55516 3 9.26836 13.10584 Researchers and Faculties (AA)	1 Stage 3 Comp. x(i) h(i+x-d)+c(x) f (i+x-d) C+D 1 5.00164 18.6018 23.6034 2 6.75728 17.5736 24.3309 3 8.51836 16.55516 25.0735 4 10.2868 13.10584 23.3926 0 0 18.6018 18.6018 1 5.75164 17.5736 23.3252 2 7.50728 16.55516 24.0624 3 9.26836 13.10584 22.3742 Researchers and Faculties (AARF)	1 Stage 3 Comp. x(i) h(i+x-d)+c(x) f (i+x-d) C+D x* 1 5.00164 18.6018 23.6034 2 6.75728 17.5736 24.3309 3 8.51836 16.55516 25.0735 4 10.2868 13.10584 23.3926 4 1 5.75164 17.5736 23.3252 2 7.50728 16.55516 24.0624 3 9.26836 13.10584 22.3742 Researchers and Faculties (AARF)	4 12.5368	1 Stage 3 Comp. x(i) h(i+x-d)+c(x) f(i+x-d) C+D x* f(i) 1 5.00164 18.6018 23.6034 2 6.75728 17.5736 24.3309 3 8.51836 16.55516 25.0735 4 10.2868 13.10584 23.3926 4 23.3926 3 1 0 0 18.6018 18.6018 0 18.6018 0 1 5.75164 17.5736 23.3252 2 7.50728 16.55516 24.0624 3 9.26836 13.10584 22.3742 Researchers and Faculties (AARF) eferced Open Access International & Journal Included in the International Serial Director es.

2	0	0.75	17.5736	18.3236	0	18.3236	1
2	1	6.50164	16.55516	23.0568			
2	2	8.25728	13.10584	21.3631			
2	3	10.01836	12.815	22.8334			
3	0	1.5	16.55516	18.0552	0	18.0552	2
3	1	7.25164	13.10584	20.3575			
3	2	9.00728	12.815	21.8223			
3	3	10.76836	9.5368	20.3052			
4	0	2.25	13.10584	15.3558	0	15.3558	3
4	1	8.00164	12.815	20.8166			
4	2	9.75728	9.5368	19.2941			
4	3	11.51836					
5	0	3	12.815	15.815	0	15.815	4
5	1	8.75164	9.5368	18.2884		13.013	-r
5	2	10.50728	3.3300	10.2004			
5	3	12.26836		+			
<u>J</u>	, ,	12.20030		 			
				+			
				 			
Association of Academic	Researc	hers and Fac	ulties (AA)	kF)			
Monthly Double-Blind Peer Reviewed F	efereed Open	Access Internationa	le-Journal - Inch	ded in the Inte	rnational	Serial Directori	es.
	1	1	1	1		1	

]
Demand	5							
	Stage	2	Comp.					1
i	x(i)	h (i+x-d)+c(x)	f (i+x-d)	C+D	x*	f (i)		1
0	5	9.065	23.39264	32.4576				ĺ
0	6	10.85584	18.6018	29.4576	6	29.4576	1	ĺ
0								
0								[
0								
0								
]
1	4	8.0368	23.39264	31.4294]
1	5	9.815	18.6018	28.4168	5	28.4168	1	
1	6	11.60584	18.3236	29.9294]
1								
1								
1								
2	4	8.7868	18.6018	27.3886	4	27.3886	1	
2	5	10.565	18.3236	28.8886				
2	6	12.35584						
2								
2								
2								
						1		-
						1		-
	_				_	1		}
3	3	7.76836	18.6018	26.3702	3	26.3702	1	}
3	4	9.5368	18.3236	27.8604		1		}
3	5	11.315		+		+		-
3 Association of Academic	6 Researc	13.10584 hers and Fac	 ulties (AA)	RF)		+		-
Monthly Double Blind Peer Reviewed F	efereed Open	Access International	e Journal Inch	ded in the In	ernational	Serial Director	es.	-
3						+	т.	
				-		+	P	age 3
				-		+		-
						+		-
]

		T	1		ı			7
								1
4	2	6.75728	18.6018	25.3591	2	25.3591	1	1
4	3	8.51836	18.3236	26.842]
4	4	10.2868						
4	5	12.065						
4	6	13.85584	15.35584	29.2117				
4								
								1
								1
								1
								1
								1
5	1	5.75164	18.6018	24.3534	1	24.3534	1	1
5	2	7.50728	18.3236	25.8309				1
5	3	9.26836						1
5	4	11.0368						1
5	5	12.815	15.35584	28.1708				1
5	6	14.60584						1
		21.00001						1
								1
								ł
								┧
								ł
Demand	5							1
Demanu	Stage	1	Comp.					┧
i	x(i)	h (i+x-d)+c(x)	f (i+x-d)	C+D	x *	f (i)		ł
0	5	9.065	29.45764	38.5226	5	38.5226		┨
				<u> </u>	5	38.5220	0	┨
0	6	10.85584	28.4168	39.2726				┨
0	7	12.66268	27.3886	40.0513				┨
0	8	14.48936	26.37016	40.8595				┨
0	9	16.3402	25.35908	41.6993				┨
0	10	18.22	24.35344	42.5734				┨
0	<u> </u>							-
0	ļ							-
0	ļ							-
0								-
								1
1	4	8.0368	29.45764	37.4944	4	37.4944	0	1
1	5	9.815	28.4168	38.2318				
1	6	11.60584	27.3886	38.9944				ļ
1	7	13.41268	26.37016	39.7828				
Association of Academic Monthly Double Blind Peer Reviewed F	Kesearc	ners and Fact	ilties (AA) e Journal Inch	40.5984	ornational S	rial Director	00	
1	9	17.0902	24.35344	41.4436		That Director	.00.	
1	10	18.97					P	a
1								1
1								1
								٦.
1								

	1	1	1				
2	4	0.7000	20.4460	27.2026		27.2026	4
2	4	8.7868	28.4168	37.2036	4	37.2036	1
2	5	10.565	27.3886	37.9536			
2	6	12.35584	26.37016	38.726			
2	7	14.16268	25.35908	39.5218			
2	8	15.98936	24.35344	40.3428			
2	9	17.8402					
2	10	19.72					
2							
2							
2							
3	3	7.76836	28.4168	36.1852	3	36.1852	1
3	4	9.5368	27.3886	36.9254			
3	5	11.315	26.37016	37.6852			
3	6	13.10584	25.35908	38.4649			
3	7	14.91268	24.35344	39.2661			
3	8	16.73936					
3	9	18.5902					
3	10	20.47					
3							
3							
4	2	6.75728	28.4168	35.1741	2	35.1741	1
4	3	8.51836	27.3886	35.907			
4	4	10.2868	26.37016	36.657			
4	5	12.065	25.35908	37.4241			
4	6	13.85584	24.35344	38.2093			
4	7	15.66268					
4	8	17.48936					
4	9	19.3402					
4	10	21.22					
4							
5	1	5.75164	28.4168	34.1684	1	34.1684	1
5	2	7.50728	27.3886	34.8959			
5	3	9.26836	26.37016	35.6385			
5	4	11.0368	25.35908	36.3959			
5	5	12.815	24.35344	37.1684			
5	6	14.60584	1				
5	7	16.41268					
Association of Academic	Researc	hersand kac	ulties (AA	RF)			
Monthly Double-Blind Peer Reviewed F 5	efereed Open 9	Access Internationa 20.0902	il e-Journal - Incl	uded in the Int	ernational S	crial Director	es.
<u>5</u>	10	21.97					ъ
<u> </u>	10	21.97					P

Using Ockham's razor, the optimal solutions are encapsulated in the following optimalitytable

Tables 1, 2 and 3: Optimal Inventory policies for specified pertinent data

Table 1

Optimal Inventory Policy Table for	$T = 6$, $h = 0.75$, $k_0 = 4$, $k_1 = 1$, $k_2 = 0.0015$, $k_3 = 0.00012$,
$k_4 = 0.00002$	

Stag	Demand	Vector of	Correspondin	Corresponding vector of	Vector of
e		entering	g vector of	minimum cost from stage tto	ending
T		inventory levels	optimal prod.	stage 6	inventory
		$\{i_t\}$	Levels		levels
			$\{x_t(i_t)\}$		$\{i_{t+1}\}$
1	5	(0, 1, 2, 3, 4, 5)	(5, 4, 4, 3, 2, 1)	(38.52, 37.49, 37.20, 36.19, 35.17,	(0,0,1,1,1,1
				34.17))
2	5	(0, 1)	(6, 5)	(29.46, 28.42)	(1, 1)
3	1	1	0	18.60	0
4	3	0	5	18.60	2
5	2	2	0	8.04	0
6	4	0	4	8.04	0

Interpretation:If the enteringin period 1 is 0, then the optimal production policy is to produce 5, 6, 0,5, 0, and 4 units in periods 1, 2, 3, 4,5 and 6 respectively with total minimum cost of 38.52 monetary units. A similar interpretation applies to the entering inventories 1 to 5.

Table 2

Optin	Optimal Inventory Policy Table for $T = 6$, $h = 0.6$, $k_0 = 4$, $k_1 = 1$, $k_2 = 0.001$, $k_3 = 0.0001$, $k_4 = 0.00001$								
Stag	Demand	Vector of	Corresponding	sponding Corresponding vector of minimum					
e		entering	vector of	cost from stage 1 to stage 6	ending				
T		inventory	optimal prod.		inventory				
		levels $\{i_t\}$	levels		levels				
			$\{x_t(i_t)\}$		$\{i_{t+1}\}$				
1	5	(0, 1, 2, 3,	(5, 4, 4, 3, 4, 1)	(37.983,36.964,36.537,35.525,34.51	(0,0,1,1,1,1				
		4, 5)		7,33.5136))				
2	5	(0,1)	(6, 5)	(28.9393, 27.9125)	(1,1)				
3	1	1	0	18.2687	0				
4	3	0	5	18.2687	2				
5	2	2	0	8.02496	0				
6	4	0	4	8.02496	0				

Table 3

Optin	Optimal Inventory Policy Table for $T = 4$, $h = 0.5$, $k_0 = 3$, $k_1 = 1$, $k_2 = 0$, $k_3 = 0$, $k_4 = 0$							
Stag e T	Demand	Vector of entering inventory	Corresponding vector of optimal prod. levels	Corresponding vector of minimum cost from stage 1 to stage 6	Vector of ending inventory			
		levels $\{i_t\}$	$\{x_t(i_t)\}$		levels $\{i_{t+1}\}$			
1	1	(0, 1, 2, 3, 4, 5)	(4, 0, 0, 0, 0, 0)	(19.5, 16, 15.5, 15, 12.5, 12.5)	(3, 0, 1, 2, 3, 4)			
2	3	(0, 1, 2, 3, 4)	(5, 4, 3, 0, 0)	(16, 15, 14, 11, 10.5)	(2, 2, 2, 0, 1)			
3	2	(0, 1, 2)	(6, 5, 0)	(11, 10, 7)	(4, 4, 0)			

© Association of Academic Researchers and Faculties (AARF)
A Monthly Double-Blind Peer Reviewed Refereed Open Access International e-Journal - Included in the International Serial Directories.

4	4	(0,4)	(4, 0)	(7, 0)	(0, 0)

The solution templates act as a supervisor program for problems in the same class. In particular they reveal, as observed from the last table, the sub-optimality of Winston's solution, Winston [9], with respect to the entering inventory 0 in period 1, with $f_1(0) = 20$.

4. SUMMARY

So far, this study has shown that manual computational process for optimal production scheduling problems is quite tedious and prone to errors. Also, it is virtually impossible to solve problems with increasing horizon length in manual computations. Electronic implementation is the only way forward for solving practical problems of reasonable sizes and the undertaking of sensitivity analyses. This is imperative for contract bidding and subsequent execution where the utility and power of the solution template can be easily demonstrated in just a matter of minutes, subject to correct data inputs and any modifications or revisions thereof.

5. CONCLUSION AND RECOMMENDATIONS

This article designed and automated prototypical solution templates for optimal policy prescriptions for a certain class of inventory problems, with an algorithmic exposition on the interface and solution process.

Consequently, relevant practical problems of any conceivable size can now be solved instantly as soon as the pertinent data have been organized and stored at the appropriate Excel cell locations, resulting in tremendous savings in time, cost and energy. Furthermore, any desired levels of sensitivity analyses can be easily undertaken and accomplished with great rapidity, needless to say that long horizon lengths can be assigned henceforth in inventory problems that hitherto could hardly be contemplated due to the 'curse of dimensionality'.

Finally, this study deployed the templates to obtain optimal production schedules for three problems with entering inventory in the set $\{0,1,2,\dots,5\}$, in just a matter of minutes.

Optimal production inventory problems should never be manually solved because it is quite tedious, cumbersome, and prone to errors, especially for large problem instances. Furthermore it does not lend itself to sensitivity analyses. Therefore, for practical purposes it is recommended that electronic solution templates be deployed in the search for, and the implementations of optimal production policy prescriptions for the stated class of problems; thanks in particular to the breakthrough research results in Ukwu[1-5] and Ukwu et al. [6, 7]. Furthermore, it is recommended that further research should be carried out on the feasibility of devising solution templates for optimal production schedules with respect to other relevant classes of inventory problems.

REFERENCES

- [1] Ukwu, C. (2016). Optimal investment strategy for a certain class of probabilistic investment problems. *International Research Journal of Natural and Applied Sciences*. 3(2): 92-105.
- [2] Ukwu, C. (2016). Sensitivity Analyses and Electronic Implementations of Optimal Investment Strategies and Rewards for a Certain Dynamic Class of Probabilistic Investment Problems. *International Research Journal of Natural and Applied Sciences*. 3(2): 153-163.
- [3] Ukwu,C. (2016). Design and Full Automation of Excel Solution Templatesfor a Time-perspective Class of Machine Replacement Problems with Pertinent Dynamic Data. *Archives of Current Research International*. 4(1): 1-15.
- [4] Ukwu, C. (2016). An Algorithm for Global Optimal Strategies and Returnsin One Fell Swoop, for a Class of Stationary Equipment Replacement Problems with Age Transition Perspectives, Based on Nonzero Starting Ages. *Advances in Research*. 7(4):1-20.
- [5] Ukwu, C. (2016l). Zero-Based Batch Starting Age Algorithm for GlobalOptimal Strategies and Returns, For A Class Of Stationary Equipment Replacement Problems with Age Transition Perspectives. *International Journal of Advanced Research in Computer Science*. 7(3): 166-186.

- [6] Ukwu, C., Manjel, D. & Kutchin, S. (2017d). Optimal FundAllocation from Certain Investment Portfolio Using Backward Dynamic Programming Recursions. *International Research Journal of Natural and Applied Sciences*. 4(7): 308-326.
- [7] Ukwu, C., Manjel, D. & Kutchin, S. (2017c). Optimal FundAllocation from Certain Investment Portfolio Using Backward Dynamic Programming Recursions with Electronic Implementations. *International Research Journal of Natural and Applied Sciences*. 4(7): 283-299.
- [8] Taha, H.A. (2007). "Operations Research: An introduction." 8th Edition Pearson, Prentice-Hall, New Jersey.
- [9] Winston, W.L. (2004). "Operations Research: Applications and Algorithms". Duxbury Press, Boston.